# antibodies - online.com







## anti-DDX26B antibody (N-Term)



Image



( )	1 /	$\sim$	KI /	110	Νę
	1//	$\vdash$	I \/	1 ←	٠// ٢

Quantity:	100 μL
Target:	DDX26B
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Dog, Guinea Pig, Horse, Rabbit, Zebrafish (Danio rerio), Cow
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DDX26B antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human
	DDX26B
Sequence:	ASTEPEQLGS VPTDESAITQ MCEVTGGRSY CVRTQRMLNQ CLESLVQKVQ
Predicted Reactivity:	Cow: 93%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 93%, Rabbit:
	100%, Rat: 100%, Zebrafish: 100%
Characteristics:	This is a rabbit polyclonal antibody against DDX26B. It was validated on Western Blot using a
	cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	DDX26B

#### **Target Details**

Alternative Name:	DDX26B (DDX26B Products)	
Background:	The function of this protein remains unknown.	
	Alias Symbols: DKFZp686G0470, FLJ41215, MGC88298	
	Protein Interaction Partner: UBC, CEP63, INTS5, INTS3, INTS6, INTS1, MAPK14,	
	Protein Size: 861	
Molecular Weight:	97 kDa	
Gene ID:	203522	
NCBI Accession:	NM_182540, NP_872346	
UniProt:	Q5JSJ4	

### **Application Details**

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 861 AA
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

168 kDa\_\_ 144 kDa\_\_ 90 kDa\_\_ 65 kDa\_\_ 40 kDa\_\_

#### **Western Blotting**

**Image 1.** WB Suggested Anti-DDX26B Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:62500 Positive Control: THP-1 cell lysate