

Datasheet for ABIN2774850
anti-CHRNA7 antibody (C-Term)

3 Images

[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	CHRNA7
Binding Specificity:	C-Term
Reactivity:	Human, Rat, Mouse, Cow, Dog, Horse, Rabbit, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CHRNA7 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of human CHRNA7
Sequence:	GQPPEGDPDL AKILEEVRYI ANRFRCQDES EAVCSEWKFA ACVVDRLCLM
Predicted Reactivity:	Cow: 93%, Dog: 93%, Guinea Pig: 93%, Horse: 93%, Human: 100%, Mouse: 77%, Rabbit: 93%, Rat: 86%
Characteristics:	This is a rabbit polyclonal antibody against CHRNA7. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	CHRNA7
---------	--------

Target Details

Alternative Name: [CHRNA7 \(CHRNA7 Products\)](#)

Background: The nicotinic acetylcholine receptors (nAChRs) are members of a superfamily of ligand-gated ion channels that mediate fast signal transmission at synapses. The nAChRs are thought to be hetero-pentamers composed of homologous subunits. The proposed structure for each subunit is a conserved N-terminal extracellular domain followed by three conserved transmembrane domains, a variable cytoplasmic loop, a fourth conserved transmembrane domain, and a short C-terminal extracellular region. The protein encoded by this gene forms a homo-oligomeric channel, displays marked permeability to calcium ions and is a major component of brain nicotinic receptors that are blocked by, and highly sensitive to, alpha-bungarotoxin. Once this receptor binds acetylcholine, it undergoes an extensive change in conformation that affects all subunits and leads to opening of an ion-conducting channel across the plasma membrane. This gene is located in a region identified as a major susceptibility locus for juvenile myoclonic epilepsy and a chromosomal location involved in the genetic transmission of schizophrenia. An evolutionarily recent partial duplication event in this region results in a hybrid containing sequence from this gene and a novel FAM7A gene. Alternative splicing results in multiple transcript variants.

Alias Symbols: NACHRA7, CHRNA7-2

Protein Size: 502

Molecular Weight: 55 kDa

Gene ID: 1139

NCBI Accession: [NM_000746](#), [NP_000737](#)

UniProt: [P36544](#)

Pathways: [Synaptic Membrane](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Liquid


Concentration: 1 mg/mL

Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.

Handling


Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images




Western Blotting

Image 1. Host: Rabbit Target Name: CHRNA7 Sample Type: Liver Tumor lysates Antibody Dilution: 1.0ug/ml



Western Blotting

Image 2. WB Suggested Anti-CHRNA7 antibody Titration: 1 ug/mL Sample Type: Human heart



Western Blotting

Image 3. WB Suggested Anti-CHRNA7 antibody Titration: 1 ug/mL Sample Type: Human liver