antibodies -online.com





Datasheet for ABIN2774880

anti-MCM3 antibody (C-Term)





Go to Product page

\sim				
	11/6	٦r١	/10	۱۸.


Quantity:	100 μL	
Target:	MCM3	
Binding Specificity:	C-Term	
Reactivity:	Human, Mouse, Rat, Horse, Pig, Cow, Guinea Pig, Rabbit, Dog	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MCM3 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC)	
Product Details		
Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human MCM3	
Sequence:	SQEDQEQKRK RRKTRQPDAK DGDSYDPYDF SDTEEEMPQV HTPKTADSQE	
	SQLDQLQKKK KKKTKQFDAK DGDSTDFTDI SDTLLLIVIFQVITIFKTADSQL	
Predicted Reactivity:	Cow: 92%, Dog: 93%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 92%, Pig: 100%, Rabbit: 93%, Rat: 100%	
Predicted Reactivity: Characteristics:	Cow: 92%, Dog: 93%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 92%, Pig: 100%,	
	Cow: 92%, Dog: 93%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 92%, Pig: 100%, Rabbit: 93%, Rat: 100% This is a rabbit polyclonal antibody against MCM3. It was validated on Western Blot and	
Characteristics:	Cow: 92%, Dog: 93%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 92%, Pig: 100%, Rabbit: 93%, Rat: 100% This is a rabbit polyclonal antibody against MCM3. It was validated on Western Blot and immunohistochemistry.	

Alternative Name:	MCM3 (MCM3 Products)	
Background:	MCM3 is one of the highly conserved mini-chromosome maintenance proteins (MCM) that are	
	involved in the initiation of eukaryotic genome replication. The hexameric protein complex	
	formed by MCM proteins is a key component of the pre-replication complex (pre_RC) and may	
	be involved in the formation of replication forks and in the recruitment of other DNA replication	
	related proteins. This protein is a subunit of the protein complex that consists of MCM2-7. It	
	has been shown to interact directly with MCM5/CDC46. This protein also interacts with, and	
	thus is acetlyated by MCM3AP, a chromatin-associated acetyltransferase. The acetylation of	
	this protein inhibits the initiation of DNA replication and cell cycle progression. The protein	
	encoded by this gene is one of the highly conserved mini-chromosome maintenance proteins	
	(MCM) that are involved in the initiation of eukaryotic genome replication. The hexameric	
	protein complex formed by MCM proteins is a key component of the pre-replication complex	
	(pre_RC) and may be involved in the formation of replication forks and in the recruitment of	
	other DNA replication related proteins. This protein is a subunit of the protein complex that	
	consists of MCM2-7. It has been shown to interact directly with MCM5/CDC46. This protein	
	also interacts with, and thus is acetlyated by MCM3AP, a chromatin-associated	
	acetyltransferase. The acetylation of this protein inhibits the initiation of DNA replication and	
	cell cycle progression.	
	Alias Symbols: HCC5, MGC1157, P1-MCM3, P1.h, RLFB	
	Protein Interaction Partner: SUMO2, MCMBP, UBC, KEAP1, MDM2, MCM6, MCM5, ACTBL2,	
	MGEA5, CAP1, SAE1, HSP90B1, TPM3, HSP90AA1, FKBP5, FKBP4, MIB1, YWHAQ, UBD, TCEA	
	MCM10, ORC5, ORC4, MCM2, ITGA4, FN1, CSNK2A1, CDK2, CDC6, CDC5L, PNKP, CDC7,	
	VCAM1, NOTCH1, POLD1, POLA1, MCM7, PIPSL, P	
	Protein Size: 808	
Molecular Weight:	89 kDa	
Gene ID:	4172	
NCBI Accession:	NM_002388, NP_002379	
UniProt:	P25205	
Pathways:	DNA Damage Repair, Mitotic G1-G1/S Phases, DNA Replication, Chromatin Binding, Synthesis	
	of DNA	
Application Details		
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	

Application Details

P.D. Control of the C		
Comment:	Antigen size: 808 AA	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-20 °C	
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.	

Images



Western Blotting


Image 1. WB Suggested Anti-MCM3

Antibody Titration: 0.2-1 µg/mL


Positive Control: Jurkat cell lysate

 $\ensuremath{\mathsf{MCM3}}$ is supported by $\ensuremath{\mathsf{BioGPS}}$ gene expression data to be

expressed in Jurkat



Rabbit Anti-MCM3 Antibody
Catalog Number: ARP36645
Lot Number: QC13033
Paraffin Embeded Tissue: Human Lung
Cells with Positive label: Alveolar cells (Indicated with Arrows)
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X



Immunohistochemistry

Image 2. Human Lung

Western Blotting

Image 3. WB Suggested Anti-MCM3 Antibody Titration: 0.2-1 ug/ml Positive Control: Jurkat cell lysate MCM3 is supported by BioGPS gene expression data to be expressed in Jurkat

Please check the product details page for more images. Overall 4 images are available for ABIN2774880.