

Datasheet for ABIN2775007
anti-ZNF665 antibody (N-Term)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	ZNF665
Binding Specificity:	N-Term
Reactivity:	Human, Dog, Horse, Rabbit, Cow, Mouse, Guinea Pig, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF665 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF665
Sequence:	CGKAFTVRSN LTIHQVIHTG EKP YKCNECG KVFSQPSNLA GHQRIHTGEK
Predicted Reactivity:	Cow: 79%, Dog: 79%, Guinea Pig: 79%, Horse: 79%, Human: 100%, Mouse: 86%, Rabbit: 85%, Rat: 86%
Characteristics:	This is a rabbit polyclonal antibody against ZNF665. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Protein A purified

Target Details

Target:	ZNF665
---------	--------

Target Details


Alternative Name:	ZNF665 (ZNF665 Products)
Background:	<p>ZNF665 is a new candidate transcription factor. Western blots using two different antibodies (ARP36042-T200 and ARP36043_T200) against two unique regions of this protein target confirm the same apparent molecular weight in our tests.</p> <p>Protein Interaction Partner: UBC,</p> <p>Protein Size: 450</p>
Molecular Weight:	78 kDa
Gene ID:	79788
NCBI Accession:	NM_024733

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 450 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-ZNF665 Antibody Titration:
5.0ug/ml ELISA Titer: 1:12500 Positive Control: HepG2 cell lysate