# antibodies - online.com







# anti-ZNF675 antibody (C-Term)



Image



( )	1 /	$\sim$	rv	11/	11	Α
	1//	┙	I \/	16	٦,	/\

- OVERVIEW	
Quantity:	100 μL
Target:	ZNF675
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF675 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human ZNF675
Sequence:	CGKAFKHSSA LTTHKRIHTG EKPYKCEECG KAFNRSSKLT EHKKLHTGKK
Predicted Reactivity:	Human: 93%
Characteristics:	This is a rabbit polyclonal antibody against ZNF675. It was validated on Western Blot using a
	cell lysate as a positive control.
Purification:	Protein A purified
Target Details	
Target:	ZNF675

#### **Target Details**

Alternative Name:	ZNF675 (ZNF675 Products)	
Background:	ZNF675 may be involved in transcriptional regulation. It may play a role during osteoclast	
	differentiation by modulating TRAF6 signaling activity.	
	Alias Symbols: FLJ36350, TBZF, TIZ	
	Protein Interaction Partner: LMO4, UBC, SUMO3, TRAF6, TNFSF11, IL1B,	
	Protein Size: 568	
Molecular Weight:	66 kDa	
Gene ID:	171392	
NCBI Accession:	NM_138330, NP_612203	
UniProt:	Q8TD23	

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 568 AA
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

70 kDa\_\_ 60 kDa\_\_ 48 kDa\_\_ 36 kDa\_\_ 21 kDa\_\_

#### **Western Blotting**

**Image 1.** WB Suggested Anti-ZNF675 Antibody Titration: 1.25ug/ml Positive Control: Jurkat cell lysate ZNF675 is supported by BioGPS gene expression data to be expressed in Jurkat