antibodies - online.com





anti-ZNF560 antibody (Middle Region)



Image



Publication



_					
U	١V	е	rv	le	V

Quantity:	100 μL
Target:	ZNF560
Binding Specificity:	Middle Region
Reactivity:	Human, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF560 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human ZNF560
Sequence:	TQDKSFEGTD YGKAFIYQSY LEAHRKTQSG EKLNEWKQCG EAFTHSTSHA
Predicted Reactivity:	Human: 100%, Rabbit: 79%
Characteristics:	This is a rabbit polyclonal antibody against ZNF560. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target:	ZNF560
Alternative Name:	ZNF560 (ZNF560 Products)

Target Details

Background:	ZNF560 may be involved in transcriptional regulation.
	Alias Symbols: FLJ31986, MGC119490, MGC119493
	Protein Interaction Partner: UBC,
	Protein Size: 790
Molecular Weight:	91 kDa
Gene ID:	147741
NCBI Accession:	NM_152476, NP_689689
UniProt:	Q96MR9

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 790 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.


Publications

Product cited in:

Lazrek, Goffard, Schanen, Karquel, Bocket, Lion, Devaux, Hedouin, Gosset, Hober: "Detection of hepatitis C virus antibodies and RNA among medicolegal autopsy cases in Northern France." in:

Diagnostic microbiology and infectious disease, Vol. 55, Issue 1, pp. 55-8, (2006) (PubMed).

Images



Western Blotting

Image 1. WB Suggested Anti-ZNF560 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: Hela cell lysate