antibodies - online.com







anti-DDX19A antibody (N-Term)





\sim	
()\/\	rview
\cup	

Quantity:	100 μL
Target:	DDX19A
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Dog, Rat, Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DDX19A antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human DDX19A
Sequence:	IKEEKVKADT NGIIKTSTTA EKTDEEEKED RAAQSLLNKL IRSNLVDNTN
Predicted Reactivity:	Dog: 85%, Horse: 86%, Human: 100%, Mouse: 93%, Rat: 93%
Characteristics:	This is a rabbit polyclonal antibody against DDX19A. It was validated on Western Blot using a
	cell lysate as a positive control.
Purification:	Protein A purified
Target Details	
Target:	DDX19A

Target Details

Alternative Name:	DDX19A (DDX19A Products)
Background:	Function of DDX19A has not been determined.
	Alias Symbols: DDX19L, DDX19-DDX19L
	Protein Interaction Partner: MIF4GD, UBC, FUBP1, HMGB3, HDAC6, LIG4, NXF1, XPO1, SPTBN1,
	SPTAN1, SMARCAD1, MDFI,
	Protein Size: 478
Molecular Weight:	53 kDa
Gene ID:	55308
NCBI Accession:	NM_018332, NP_060802
UniProt:	Q9NUU7

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 478 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

87 kDa__ 70 kDa__ 60 kDa__ 48 kDa__ 36 kDa__

Western Blotting

Image 1. WB Suggested Anti-DDX19A Antibody Titration: 2.5ug/ml ELISA Titer: 1:62500 Positive Control: HepG2 cell lysate DDX19A is strongly supported by BioGPS gene expression data to be expressed in Human HepG2 cells