



[Go to Product page](#)

Datasheet for ABIN2775356
anti-ZNF19 antibody (C-Term)

1 Image

1 Publication

Overview

Quantity:	100 µL
Target:	ZNF19
Binding Specificity:	C-Term
Reactivity:	Human, Saccharomyces cerevisiae
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF19 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human ZNF19
Sequence:	HQHQRHTGE KPYECSKYEK AFGTSSQLGH LEHVYSGEKP VLDICRFGLP
Predicted Reactivity:	Human: 100%, Yeast: 90%
Characteristics:	This is a rabbit polyclonal antibody against ZNF19. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Protein A purified

Target Details

Target:	ZNF19
Alternative Name:	ZNF19 (ZNF19 Products)

Target Details

Background:	<p>ZNF19 contains a zinc finger, a nucleic acid-binding domain present in many transcription factors. The protein encoded by this gene contains a zinc finger, a nucleic acid-binding domain present in many transcription factors. This gene is located in a region next to ZNF23, a gene also encoding a zinc finger protein, on chromosome 16.</p> <p>Alias Symbols: KOX12, MGC51021</p> <p>Protein Size: 458</p>
Molecular Weight:	52 kDa
Gene ID:	7567
NCBI Accession:	NM_006961 , NP_008892
UniProt:	P17023

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 458 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Publications

Product cited in: Lazrek, Goffard, Schanen, Karquel, Bocket, Lion, Devaux, Hedouin, Gosset, Hober: "Detection of hepatitis C virus antibodies and RNA among medicolegal autopsy cases in Northern France." in: **Diagnostic microbiology and infectious disease**, Vol. 55, Issue 1, pp. 55-8, (2006) ([PubMed](#)).

Images



Western Blotting

Image 1. WB Suggested Anti-ZNF19 Antibody Titration:
5.0ug/ml Positive Control: Jurkat cell lysate