# .-online.com antibodies

# Datasheet for ABIN2775404 anti-RHOD antibody (C-Term)

4 Images



#### Overview

Quantity:	100 µL
Target:	RHOD
Binding Specificity:	C-Term
Reactivity:	Human, Rat, Mouse, Guinea Pig, Dog, Cow, Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RHOD antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

## Product Details

Alternative Name:

Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human RHOD
Sequence:	NGLEPVTYHR GQEMARSVGA VAYLECSARL HDNVHAVFQE AAEVALSSRG
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 92%, Human: 100%, Mouse: 82%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against RHOD. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	RHOD

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN2775404 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

RHOD (RHOD Products)

Target Details	
Background:	Ras homolog, or Rho, proteins interact with protein kinases and may serve as targets for
	activated GTPase. They play a critical role in muscle differentiation. RHOD binds GTP and is a
	member of the small GTPase superfamily. It is involved in endosome dynamics and
	reorganization of the actin cytoskeleton, and it may coordinate membrane transport with the
	function of the cytoskeleton. Ras homolog, or Rho, proteins interact with protein kinases and
	may serve as targets for activated GTPase. They play a critical role in muscle differentiation.
	The protein encoded by this gene binds GTP and is a member of the small GTPase superfamily.
	It is involved in endosome dynamics and reorganization of the actin cytoskeleton, and it may
	coordinate membrane transport with the function of the cytoskeleton. Publication Note: This
	RefSeq record includes a subset of the publications that are available for this gene. Please see
	the Entrez Gene record to access additional publications.
	Alias Symbols: ARHD, RHOHP1, RHOM, Rho
	Protein Interaction Partner: ADRB2, IHH, ADCK5, UBC, PLXNA1, SMURF2, BMPR1B, SMAD2,
	SMAD4, DIAPH2, TGFBR1, HRAS, ACVR1, CNKSR1, ARHGAP29,
	Protein Size: 210
Molecular Weight:	23 kDa
Gene ID:	29984

 NCBI Accession:
 NM\_014578, NP\_055393

 UniProt:
 000212

# Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 210 AA
Restrictions:	For Research Use only

# Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN2775404 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

# Handling


Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

### Images



#### Immunohistochemistry

**Image 1.** Immunohistochemistry with Tonsil tissue at an antibody concentration of 5µg/ml using anti-RHOD antibody (ARP42414\_P050)



#### Western Blotting

**Image 2.** WB Suggested Anti-RHOD Antibody Titration: 0.2-1 ug/ml Positive Control: Transfected 293T

#### Immunohistochemistry

**Image 3.** RHOD antibody - C-terminal region Formalin Fixed Paraffin Embedded Tissue: Human Liver Tissue Observed Staining: Cytoplasm in sinusoids of liver Primary Antibody Concentration: 1:100 Other Working Concentrations: 1/600 Secondary Antibody: Donkey anti-Rabbit-Cy3 Secondary Antibody Concentration: 1:200 Magnification: 20X Exposure Time: 0.5 - 2.0 sec

Please check the product details page for more images. Overall 4 images are available for ABIN2775404.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN2775404 | 09/11/2023 | Copyright antibodies-online. All rights reserved.