
antibodies - online.com





anti-CEMIP antibody (Middle Region)

Images



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Overview		
Quantity:	100 μL	
Target:	CEMIP	
Binding Specificity:	Middle Region	
Reactivity:	Human, Mouse, Rat, Rabbit, Cow, Dog, Guinea Pig, Horse, Saccharomyces cerevisiae, Zebrafish (Danio rerio)	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CEMIP antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human KIAA1199	
Sequence:	PFLSIISARY SPHQDADPLK PREPAIIRHF IAYKNQDHGA WLRGGDVWLD	
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Yeast: 90%, Zebrafish: 85%	

Characteristics:

This is a rabbit polyclonal antibody against KIAA1199. It was validated on Western Blot using a cell lysate as a positive control.

Purification: Affinity Purified

Target Details

Target: **CEMIP**

Target Details


Alternative Name:	KIAA1199 (CEMIP Products)
Background:	The function of this protein remains unknown.
	Alias Symbols: TMEM2L, CCSP1
	Protein Interaction Partner: DCUN1D1, PLXNA2,
	Protein Size: 1361
Molecular Weight:	153 kDa
Gene ID:	57214
NCBI Accession:	NM_018689, NP_061159
UniProt:	Q8WUJ3

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 1361 AA	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-KIAA1199 Antibody Titration: 0.2-1 ug/ml Positive Control: COLO205 cell lysate KIAA1199 is supported by BioGPS gene expression data to be expressed in COLO205

Western Blotting

Image 2. WB Suggested Anti-KIAA1199

Antibody Titration: 0.2-1 µg/mL

Positive Control: COLO205 cell lysate

KIAA1199 is supported by BioGPS gene expression data to be expressed in COLO205

KIAA1199

65 kDa_

40 kDa__

Western Blotting

Image 3. Host: Rabbit Target Name: KIAA1199 Sample Tissue: Human OVCAR-3 Antibody Dilution: 1.0ug/ml

