antibodies - online.com







anti-DNASE2B antibody (C-Term)



Image



()	ve	K\ /		A .
	\cup	1 V/	-	V۷

Quantity:	100 μL	
Target:	DNASE2B	
Binding Specificity:	C-Term	
Reactivity:	Human, Guinea Pig, Cow, Horse, Rat, Dog, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DNASE2B antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human DNASE2B	
Sequence:	MAQRLKTHLL TETWQRKRQE LPSNCSLPYH VYNIKAIKLS RHSYFSSYQD	
Predicted Reactivity:	Cow: 100%, Dog: 93%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 77%, Rat: 100%	
Characteristics:	This is a rabbit polyclonal antibody against DNASE2B. It was validated on Western Blot using a cell lysate as a positive control.	
Purification:	Protein A purified	
Target Details		
Target:	DNASE2B	

Target Details

Background: DNASE2B shares considerable sequence similarity to, and is structurally related to DN The latter is a well characterized endonuclease that catalyzes DNA hydrolysis in the at divalent cations at acidic pH . Unlike DNase II which is ubiquitously expressed, express this protein is restricted to the salivary gland and lungs. The protein encoded by this ge shares considerable sequence similarity to, and is structurally related to DNase II. The well characterized endonuclease that catalyzes DNA hydrolysis in the absence of diva cations at acidic pH . Unlike DNase II which is ubiquitously expressed, expression of the product is restricted to the salivary gland and lungs. The gene has been localized to chromosome 1p22.3 adjacent (and in opposite orientation) to the uricase pseudogene transcript variants encoding different isoforms have been described for this gene. Alias Symbols: DLAD Protein Interaction Partner: UBC, UBD, Protein Size: 153 Molecular Weight: 17 kDa Gene ID: 58511 NCBI Accession: NM_058248, NP_490649 UniProt: Q5VXD0 Application Details Optimal working dilutions should be determined experimentally by the investigator. Comment: Antigen size: 153 AA	sence of ion of ne atter is a ent is gene	
Gene ID: 58511 NCBI Accession: NM_058248, NP_490649 UniProt: Q5VXD0 Application Details Application Notes: Optimal working dilutions should be determined experimentally by the investigator.		
NCBI Accession: UniProt: Q5VXD0 Application Details Application Notes: Optimal working dilutions should be determined experimentally by the investigator.	17 kDa	
UniProt: Application Details Application Notes: Optimal working dilutions should be determined experimentally by the investigator.	58511	
Application Details Application Notes: Optimal working dilutions should be determined experimentally by the investigator.	NM_058248, NP_490649	
Application Notes: Optimal working dilutions should be determined experimentally by the investigator.	Q5VXD0	
Comment: Antigen size: 153 AA		
	Antigen size: 153 AA	
Restrictions: For Research Use only	For Research Use only	
Handling		
Format: Liquid	Liquid	
Concentration: Lot specific	Lot specific	
Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and sucrose.	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.	
Preservative: Sodium azide	Sodium azide	
Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE w	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	

Handling

	should be handled by trained staff only.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-20 °C	
Storage Comment:	torage Comment: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in sn aliquots to prevent freeze-thaw cycles.	

Images



Western Blotting

Image 1. WB Suggested Anti-DNASE2B Antibody Titration:1.25ug/ml Positive Control: Jurkat cell lysate