



[Go to Product page](#)

Datasheet for ABIN2775726
anti-CDR2L antibody (C-Term)

2 Images

Overview

Quantity:	100 µL
Target:	CDR2L
Binding Specificity:	C-Term
Reactivity:	Human, Rat, Dog, Horse, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CDR2L antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human CDR2L
Sequence:	VQTSRPISR D SSWRDLRGGE EGQGEVKAGE KLSLSQHVEAV DKRLEQSQPE
Predicted Reactivity:	Dog: 86%, Horse: 93%, Human: 100%, Pig: 93%, Rat: 86%
Characteristics:	This is a rabbit polyclonal antibody against CDR2L. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	CDR2L
Alternative Name:	CDR2L (CDR2L Products)
Background:	The function of CDR2L remains unknown.

Target Details

Alias Symbols: HUMPPA
Protein Interaction Partner: ELAVL1,
Protein Size: 465

Molecular Weight: 53 kDa

Gene ID: 30850

NCBI Accession: [NM_014603](#), [NP_055418](#)

UniProt: [Q86X02](#)

Application Details

Application Notes: Optimal working dilutions should be determined experimentally by the investigator.

Comment: Antigen size: 465 AA

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: Lot specific

Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -20 °C

Storage Comment: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-CDR2L

Antibody Titration: 0.2-1 µg/mL ELISA Titer: 1:100

Positive Control: OVCAR-3 cell lysate

CDR2L is supported by BioGPS gene expression data to be expressed in OVCAR3

Western Blotting

Image 2. WB Suggested Anti-CDR2L Antibody Titration: 0.2-

1 µg/ml ELISA Titer: 1:500 Positive Control: OVCAR-3 cell lysate CDR2L is supported by BioGPS gene expression data

to be expressed in OVCAR3