# antibodies - online.com







## anti-ZNF239 antibody (N-Term)



Image



( )	1 /	$\sim$	KI /	110	Νę
	1//	$\vdash$	I \/	1 ←	٠// ٢

O VET VIEVV	
Quantity:	100 μL
Target:	ZNF239
Binding Specificity:	N-Term
Reactivity:	Human, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF239 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF239
Sequence:	SRNRDSVMTL QSGCFENIES ETYLPLKVSS QIDTQDSSVK FCKNEPQDHQ
Predicted Reactivity:	Dog: 83%, Human: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF239. It was validated on Western Blot using a
	cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	ZNF239

#### **Target Details**

Alternative Name:	ZNF239 (ZNF239 Products)
Background:	MOK2 proteins are DNA- and RNA-binding proteins that are mainly associated with nuclear RNP
	components, including the nucleoli and extranucleolar structures (Arranz et al., 1997 [PubMed
	9121460]).[supplied by OMIM].
	Alias Symbols: HOK-2, MOK2
	Protein Interaction Partner: CEP70, LMNA,
	Protein Size: 458
Molecular Weight:	52 kDa
Gene ID:	8187
NCBI Accession:	NM_005674, NP_005665
UniProt:	Q16600

### **Application Details**

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 458 AA
Restrictions:	For Research Use only

### Handling

· ·		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 $\%$ (w/v) sodium azide and 2 $\%$ sucrose.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-20 °C	
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.	

90 kDa\_\_ 60 kDa\_\_ 42 kDa\_\_ 32 kDa\_\_ 23 kDa\_\_

#### **Western Blotting**

**Image 1.** WB Suggested Anti-ZNF239 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: Jurkat cell lysate