



[Go to Product page](#)

Datasheet for ABIN2776515  
**anti-ZNF432 antibody (N-Term)**

1 Image

### Overview

Quantity:	100 µL
Target:	ZNF432
Binding Specificity:	N-Term
Reactivity:	Human, Cow, Dog, Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF432 antibody is un-conjugated
Application:	Western Blotting (WB)

### Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF432
Sequence:	GKSFLHGNYE ELYSAAKFSV STKANSTKSQ VSKHQRTHEI EKNHVCSECG
Predicted Reactivity:	Cow: 79%, Dog: 85%, Horse: 92%, Human: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF432. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

### Target Details

Target:	ZNF432
---------	--------

## Target Details

---

Alternative Name:	ZNF432 ( <a href="#">ZNF432 Products</a> )
Background:	ZNF432 belongs to the krueppel C2H2-type zinc-finger protein family. It contains 16 C2H2-type zinc fingers and 1 KRAB domain. ZNF432 may be involved in transcriptional regulation. Alias Symbols: - Protein Size: 652
Molecular Weight:	75 kDa
Gene ID:	9668
NCBI Accession:	<a href="#">NM_014650</a> , <a href="#">NP_055465</a>
UniProt:	<a href="#">O94892</a>

## Application Details

---

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 652 AA
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



### Western Blotting

**Image 1.** WB Suggested Anti-ZNF432 Antibody Titration:  
0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: HepG2  
cell lysate