

Datasheet for ABIN2776672 anti-NSUN6 antibody (N-Term)





Go to Product page

\sim	
()\/Pr	view
OVCI	VICVV

Overview	
Quantity:	100 μL
Target:	NSUN6
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rabbit, Horse, Pig, Cow, Dog, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NSUN6 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human NSUN6
Sequence:	SIFPKISLRP EVENYLKEGF MNKEIVTALG KQEAERKFET LLKHLSHPPS
Predicted Reactivity:	Cow: 92%, Dog: 92%, Guinea Pig: 83%, Horse: 85%, Human: 100%, Mouse: 100%, Pig: 92%, Rabbit: 100%
Characteristics:	This is a rabbit polyclonal antibody against NSUN6. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	NSUN6

Target Details

Alternative Name:	NSUN6 (NSUN6 Products)
Background:	NSUN6 may have S-adenosyl-L-methionine-dependent methyl-transferase activity (Potential).
	NSUN6 belongs to the methyltransferase superfamily, RsmB/NOP family. It contains 1 PUA
	domain. Western blots using two different antibodies against two unique regions of this protein
	target confirm the same apparent molecular weight in our tests.
	Alias Symbols: 4933414E04Rik, FLJ23743, NOPD1
	Protein Interaction Partner: UBC, ELAVL1,
	Protein Size: 469
Molecular Weight:	52 kDa
Gene ID:	221078
NCBI Accession:	NM_182543, NP_872349
UniProt:	Q8TEA1

Application Details

Application Notes:

Comment:	Antigen size: 469 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %
	sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small

Optimal working dilutions should be determined experimentally by the investigator.

aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-NSUN6 Antibody Titration: 0.2-1 ug/ml Positive Control: Human muscle