antibodies.com

# Datasheet for ABIN2777026 anti-OR5T2 antibody (C-Term)

Image



### Overview

Quantity:	100 µL
Target:	OR5T2
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR5T2 antibody is un-conjugated
Application:	Western Blotting (WB)

### Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human OR5T2
Sequence:	DMIVSIFYTI VIPLLNPVIY SLRNKDVKDS MKKMFGKNQV INKVYFHTKK
Predicted Reactivity:	Human: 100%
Characteristics:	This is a rabbit polyclonal antibody against OR5T2. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	OR5T2
Alternative Name:	OR5T2 (OR5T2 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2777026 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response
	that triggers the perception of a smell. The olfactory receptor proteins are members of a large
	family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory
	receptors share a 7-transmembrane domain structure with many neurotransmitter and
	hormone receptors and are responsible for the recognition and G protein-mediated
	transduction of odorant signals. The olfactory receptor gene family is the largest in the
	genome. The nomenclature assigned to the olfactory receptor genes and proteins for this
	organism is independent of other organisms.Olfactory receptors interact with odorant
	molecules in the nose, to initiate a neuronal response that triggers the perception of a smell.
	The olfactory receptor proteins are members of a large family of G-protein-coupled receptors
	(GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane
	domain structure with many neurotransmitter and hormone receptors and are responsible for
	the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor
	gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor
	genes and proteins for this organism is independent of other organisms.
	Alias Symbols: OR11-177
	Protein Size: 359
Molecular Weight:	39 kDa
Gene ID:	219464
NCBI Accession:	NM_001004746, NP_001004746
UniProt:	Q6IFC8

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 359 AA
Restrictions:	For Research Use only

# Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in $1x$ PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN2777026 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

### Handling

Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

### Images



#### Western Blotting

Image 1. WB Suggested Anti-OR5T2 Antibody Titration: 0.2-

1 ug/ml Positive Control: Jurkat cell lysate