# antibodies -online.com





# anti-HIC2 antibody (Middle Region)



Target:



HIC2

Publication



Go to Product page

Overview	
Quantity:	100 μL
Target:	HIC2
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Dog, Cow, Horse, Rabbit, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HIC2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human HIC2

Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human HIC2
Sequence:	CKEEEENGKD ASEDSAQSGS EGGSGHASAH YMYRQEGYET VSYGDNLYVC
Predicted Reactivity:	Cow: 85%, Dog: 85%, Guinea Pig: 85%, Horse: 85%, Human: 100%, Mouse: 85%, Rabbit: 77%, Rat: 85%
Characteristics:	This is a rabbit polyclonal antibody against HIC2. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	

### **Target Details**

Alternative Name:	HIC2 (HIC2 Products)
Background:	HIC2 contains 5 C2H2-type zinc fingers and 1 BTB (POZ) domain. It belongs to the krueppel
	C2H2-type zinc-finger protein family, Hic subfamily and is a transcriptional repressor.
	Alias Symbols: HRG22, KIAA1020, ZBTB30, ZNF907
	Protein Interaction Partner: HIC2, HIC1, BARD1, LIG4, APP, PDK2, CCNT1,
	Protein Size: 615
Molecular Weight:	66 kDa
Gene ID:	23119
NCBI Accession:	NM_015094, NP_055909
UniProt:	Q96JB3

# Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 615 AA
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Product cited in:

Roberts, Childs, Brown, Davis, Booth: "Early depression of Ankrd2 and Csrp3 mRNAs in the polyribosomal and whole tissue fractions in skeletal muscle with decreased voluntary running." in: **Journal of applied physiology (Bethesda, Md.: 1985)**, Vol. 112, Issue 8, pp. 1291-9, (2012) (PubMed).

#### **Images**




#### **Western Blotting**

Image 1. Host: Rabbit Target Name: HIC2 Sample Type: Human Fetal Muscle Antibody Dilution: 1.0ug/ml

# HIC2 90— 65— 40— Rabbit Anti-HIC2 Sample Type: Human Fetal Liver Antibody Concentration: 1ug/mL

#### **Western Blotting**

Image 2. Host: Rabbit Target Name: HIC2 Sample Type: Human Fetal Liver Antibody Dilution: 1.0ug/ml



#### **Western Blotting**

Image 3. Host: Rabbit Target Name: HIC2 Sample Type: Human Adult Placenta Antibody Dilution: 1.0ug/ml

Please check the product details page for more images. Overall 5 images are available for ABIN2777438.