

Datasheet for ABIN2777595

anti-ACAT2 antibody (Middle Region)

2 Images



Overview

Quantity:	100 μL
Target:	ACAT2
Binding Specificity:	Middle Region
Reactivity:	Human, Rat, Mouse, Dog, Cow, Guinea Pig, Horse, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ACAT2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human ACAT2
Sequence:	SREDQDKVAV LSQNRTENAQ KAGHFDKEIV PVLVSTRKGL IEVKTDEFPR
Predicted Reactivity:	Cow: 100%, Dog: 92%, Guinea Pig: 100%, Horse: 92%, Human: 100%, Mouse: 92%, Rabbit: 92%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against ACAT2. It was validated on Western Blot and immunohistochemistry.
Purification:	Protein A purified
Target Details	
Target:	ACAT2


Target Details

Alternative Name:	ACAT2 (ACAT2 Products)
Background:	Acetyl-Coenzyme A acetyltransferase 2 is an enzyme involved in lipid metabolism. Reported patients with ACAT2 deficiency have shown severe mental retardation and hypotonus. The ACAT2 gene shows complementary overlapping with the 3-prime region of the TCP1 gene in both mouse and human. These genes are encoded on opposite strands of DNA, as well as in opposite transcriptional orientation. Alias Symbols: ACAT2, ACTL Protein Interaction Partner: CDKN2A, HBA1, CLU, SYK, BLOC1S6, SLC4A1AP, CA2, ANK1, RHAG, LYN, EPB41, CA4, CANX, SLC4A1, ACTC1, EPB42, Protein Size: 397
Molecular Weight:	41 kDa
Gene ID:	39
NCBI Accession:	NM_005891, NP_005882
UniProt:	Q9BWD1
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 397 AA
Restrictions:	For Research Use only
Handling	
Handling Format:	Liquid
	Liquid Lot specific
Format:	
Format: Concentration:	Lot specific Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %
Format: Concentration: Buffer:	Lot specific Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Format: Concentration: Buffer: Preservative:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose. Sodium azide This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

Storage Comment:


For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images



Western Blotting

Image 1. WB Suggested Anti-ACAT2 Antibody Titration: 1.0ug/ml Positive Control: K562 cell lysate ACAT2 is supported by BioGPS gene expression data to be expressed in K562



Rabbit Anti-ACAT2 Antibody
Catalog Number: ARP32790
Lot Number: QC2222
Paraffin Embeded Tissue: Human Liver
Cells with Positive label: Hepatocytes (Indicated with Arrows)
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X

Immunohistochemistry

Image 2. Human Liver