

Datasheet for ABIN2777659

anti-Forkhead Box J2 antibody (N-Term)[Go to Product page](#)**1** Image

Overview

Quantity:	100 µL
Target:	Forkhead Box J2 (FOXJ2)
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Dog, Rat, Horse, Rabbit, Cow, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Forkhead Box J2 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human FOXJ2
Sequence:	ASDLESSLTS IDWLPQLTLR ATIEKLGSAS QAGPPGSSRK CSPGSPTDPN
Predicted Reactivity:	Cow: 93%, Dog: 93%, Guinea Pig: 93%, Horse: 93%, Human: 100%, Mouse: 86%, Rabbit: 93%, Rat: 86%
Characteristics:	This is a rabbit polyclonal antibody against FOXJ2. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Protein A purified

Target Details

Target:	Forkhead Box J2 (FOXJ2)
---------	-------------------------

Target Details

Alternative Name:	FOXJ2 (FOXJ2 Products)
Background:	FOXJ2 is a fork head factor that is expressed in many adult tissues. In the embryo, FOXJ2 expression showed a very early onset during the cleavage stages of preimplantation development. It is capable of activating transcription from promoters containing its sites Alias Symbols: FHX Protein Interaction Partner: EGLN3, APP, ELAVL1, Nedd4, Protein Size: 574
Molecular Weight:	62 kDa
Gene ID:	55810
NCBI Accession:	NM_018416 , NP_060886
UniProt:	Q9P0K8

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 574 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-FOXJ2 Antibody Titration:
0.25ug/ml Positive Control: HepG2 cell lysate