

Datasheet for ABIN2777923
anti-TCEA3 antibody (Middle Region)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	TCEA3
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Cow, Dog, Horse, Rabbit, Pig, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TCEA3 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human TCEA3
Sequence:	KSTDMKYRNR VRSRISNLKD PRNPGLRRNV LSGAISAGLI AKMTAEEMAS
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 92%, Horse: 100%, Human: 100%, Mouse: 85%, Pig: 100%, Rabbit: 100%, Rat: 92%
Characteristics:	This is a rabbit polyclonal antibody against TCEA3. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target:	TCEA3
---------	-------

Target Details


Alternative Name:	TCEA3 (TCEA3 Products)
Background:	Polyclonal antibody produced in rabbits immunized with a synthetic peptide corresponding to a region of Human TCEA3 with an internal ID of P04456 Alias Symbols: TFIIS, TFIIS.H Protein Interaction Partner: RPH3AL, Protein Size: 348
Molecular Weight:	39 kDa
Gene ID:	6920
NCBI Accession:	NM_003196 , NP_003187
UniProt:	O75764

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 348 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-TCEA3 Antibody Titration:
0.2-1 ug/ml Positive Control: Jurkat cell lysate