antibodies .- online.com





anti-ZFX antibody (Middle Region)



2

Publications



Go to Product page

()	11	\sim	rv		۱ ۸
	1 \ /	┙	I \/	╙	1/1

Quantity:	100 μL
Target:	ZFX
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Cow, Guinea Pig, Horse, Rabbit, Dog, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZFX antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human ZFX
Sequence:	KVYIFKADPG EDDLGGTVDI VESEPENDHG VELLDQNSSI RVPREKMVYM
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZFX. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	

Target Details

Target: ZFX

Target Details

Alternative Name:	ZFX (ZFX Products)
Background:	ZFX is a probable transcriptional activator.
	Alias Symbols: ZNF926
	Protein Interaction Partner: SUMO1, UBC,
	Protein Size: 805
Molecular Weight:	90 kDa
Gene ID:	7543
NCBI Accession:	NM_003410, NP_003401
UniProt:	P17010

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 805 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.


Publications

Product cited in: Lazrek, Goffard, Schanen, Karquel, Bocket, Lion, Devaux, Hedouin, Gosset, Hober: "Detection of

hepatitis C virus antibodies and RNA among medicolegal autopsy cases in Northern France." in:

Diagnostic microbiology and infectious disease, Vol. 55, Issue 1, pp. 55-8, (2006) (PubMed).

Images



Western Blotting

Image 1. WB Suggested Anti-ZFX Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: 293T cell lysate ZFX is supported by BioGPS gene expression data to be expressed in HEK293T