

Datasheet for ABIN2778017

**anti-C14orf169 + NO66 antibody (N-Term)**[Go to Product page](#)**1** Image

## Overview

Quantity:	100 µL
Target:	C14orf169 + NO66 (C14orf169)
Binding Specificity:	N-Term
Reactivity:	Human, Cow, Dog, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C14orf169 + NO66 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human C14ORF169
Sequence:	RVESTADDLG DALPGGAAVA AVPDAAARREP YGHLGPAELL EASPAARSLQ
Predicted Reactivity:	Cow: 83%, Dog: 92%, Human: 100%, Rabbit: 92%
Characteristics:	This is a rabbit polyclonal antibody against C14ORF169. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Protein A purified

## Target Details

Target:	C14orf169 + NO66 (C14orf169)
---------	------------------------------

## Target Details

Alternative Name:	C14ORF169 ( <a href="#">C14orf169 Products</a> )
Background:	C14orf131 is a protein predicted based on an ORF found in chromosome 14. Alias Symbols: NO66, MAPJD Protein Interaction Partner: KAT5, TRRAP, MYC, USP42, Protein Size: 641
Molecular Weight:	71 kDa
Gene ID:	79697
NCBI Accession:	<a href="#">NM_024644</a> , <a href="#">NP_078920</a>
UniProt:	<a href="#">Q9H6W3</a>

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 641 AA
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

**Image 1.** WB Suggested Anti-C14ORF169 Antibody  
Titration: 1.25ug/ml Positive Control: HepG2 cell lysate  
C14ORF169 is supported by BioGPS gene expression data  
to be expressed in HepG2