

Datasheet for ABIN2778021

**anti-ZNF750 antibody (Middle Region)**[Go to Product page](#)**1** Image

## Overview

Quantity:	100 µL
Target:	ZNF750
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Cow, Dog, Guinea Pig, Horse, Rabbit, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF750 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human ZINC FINGER PROTEIN 750
Sequence:	NRKHVEFESP IPEAKDSSKA GQRDTEGSKM SPRAGSAATG SPGRPSPTDF
Predicted Reactivity:	Cow: 93%, Dog: 93%, Guinea Pig: 93%, Horse: 93%, Human: 100%, Mouse: 93%, Rabbit: 93%, Rat: 93%
Characteristics:	This is a rabbit polyclonal antibody against ZINC FINGER PROTEIN 750. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Protein A purified

## Target Details

Target:	ZNF750
---------	--------

## Target Details

Alternative Name:	ZINC FINGER PROTEIN 750 ( <a href="#">ZNF750 Products</a> )
Background:	<p>Zinc finger protein 750 is a new candidate transcription factor</p> <p>Alias Symbols: ZFP750, ZINC FINGER PROTEIN 750</p> <p>Protein Interaction Partner: CTBP2,</p> <p>Protein Size: 723</p>

Molecular Weight: 77 kDa

Gene ID: 79755

NCBI Accession: [NM\\_024702](#), [NP\\_078978](#)


UniProt: [Q32MQ0](#)

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 723 AA
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

**Image 1.** WB Suggested Anti-ZINC FINGER PROTEIN 750  
Antibody Titration: 5ug/ml Positive Control: HepG2 cell lysate