# antibodies -online.com







## anti-ZNF689 antibody (N-Term)



Image



$\sim$				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL
Target:	ZNF689
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Rabbit, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF689 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF689
Sequence:	MAPPSAPLPA QGPGKARPSR KRGRRPRALK FVDVAVYFSP EEWGCLRPAQ
Predicted Reactivity:	Cow: 79%, Guinea Pig: 79%, Human: 100%, Mouse: 93%, Rabbit: 92%, Rat: 86%
Characteristics:	This is a rabbit polyclonal antibody against ZNF689. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	ZNF689

#### Target Details


Alternative Name:	ZNF689 (ZNF689 Products)
Background:	ZNF689 may be involved in transcriptional regulation.
	Alias Symbols: DKFZp762C173, FLJ90415, TIPUH1
	Protein Interaction Partner: TRIM28, NCL, HNRNPU, HNRNPF, CBX5, SMARCAD1,
	Protein Size: 500
Molecular Weight:	57 kDa
Gene ID:	115509
NCBI Accession:	NM_138447, NP_612456
UniProt:	Q96CS4

### **Application Details**

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 500 AA
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



#### **Western Blotting**

**Image 1.** WB Suggested Anti-ZNF689 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:12500 Positive Control: NCI-H226 cell lysate