antibodies - online.com







anti-ZNF25 antibody (C-Term)





Publication



_					
	W	0	rv	10	W

Quantity:	100 μL	
Target:	ZNF25	
Binding Specificity:	C-Term	
Reactivity:	Human, Mouse, Rat, Dog, Cow, Horse, Pig, Rabbit	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ZNF25 antibody is un-conjugated	
Application:	Western Blotting (WB)	

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human ZNF25
Sequence:	EKPYACKECG KSFSQKSHFI IHQRKHTGEK PYECQECGET FIQKSQLTAH
Predicted Reactivity:	Cow: 93%, Dog: 79%, Horse: 100%, Human: 100%, Mouse: 93%, Pig: 93%, Rabbit: 85%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF25. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Protein A purified

Target Details


Target:	ZNF25
Alternative Name:	ZNF25 (ZNF25 Products)

Target Details

Background:	ZNF25 contains 1 KRAB domain and 12 C2H2-type zinc fingers. ZNF25 belongs to the krueppe	
	C2H2-type zinc-finger protein family and may be involved in transcriptional regulation.	
	Alias Symbols: Zfp9, KOX19	
	Protein Interaction Partner: UBC,	
	Protein Size: 362	
Molecular Weight:	40 kDa	
Gene ID:	219749	
NCBI Accession:	NM_145011	
Application Details		
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 362 AA	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-20 °C	
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small	
5		
S	aliquots to prevent freeze-thaw cycles.	
Publications	aliquots to prevent freeze-thaw cycles.	
•	aliquots to prevent freeze-thaw cycles. Gerhard, Wagner, Feingold, Shenmen, Grouse, Schuler, Klein, Old, Rasooly, Good, Guyer, Peck,	

Buetow et al.: "The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). ..." in: **Genome research**, Vol. 14, Issue 10B, pp. 2121-7, (2004) (PubMed).

Images



Western Blotting

Image 1. WB Suggested Anti-ZNF25 Antibody Titration: 1.25ug/ml ELISA Titer: 1:62500 Positive Control: HepG2 cell lysate