

Datasheet for ABIN2778484  
**anti-ZNF485 antibody (N-Term)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	100 µL
Target:	ZNF485
Binding Specificity:	N-Term
Reactivity:	Human, Dog, Mouse, Rabbit, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF485 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF485
Sequence:	MAPRAQIQGP LTFGDVAVAF TRIEWRHLDA AQRALYRDVM LENYGNLVSV
Predicted Reactivity:	Dog: 92%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 90%
Characteristics:	This is a rabbit polyclonal antibody against ZNF485. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

## Target Details

Target:	ZNF485
---------	--------

## Target Details


Alternative Name:	ZNF485 ( <a href="#">ZNF485 Products</a> )
Background:	<p>ZNF485 contains 1 KRAB domain and 11 C2H2-type zinc fingers. It belongs to the krueppel C2H2-type zinc-finger protein family and may be involved in transcriptional regulation.</p> <p>Alias Symbols: -</p> <p>Protein Interaction Partner: UBC,</p> <p>Protein Size: 402</p>
Molecular Weight:	46 kDa
Gene ID:	220992
NCBI Accession:	<a href="#">NM_145312</a> , <a href="#">NP_660355</a>
UniProt:	<a href="#">Q8NCK3</a>

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 402 AA
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

**Image 1.** WB Suggested Anti-ZNF485 Antibody Titration:  
0.2-1 ug/ml Positive Control: Human Liver