# antibodies .- online.com







## anti-ZNF707 antibody (C-Term)



Image



$\sim$	
( )\/\	view
	VICVV


Quantity:	100 μL
Target:	ZNF707
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Horse, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF707 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of Human ZNF707
Sequence:	ECGKSFRWPK GFSIHRRLHL TKRFYECGHC GKGFRHLGFF TRHQRTHRHG
Predicted Reactivity:	Horse: 100%, Human: 100%, Mouse: 100%, Pig: 89%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF707. It was validated on Western Blot.
Purification:	Affinity Purified
Target Details	
Target:	ZNF707

#### **Target Details**

Background:	ZNF707 belongs to the krueppel C2H2-type zinc-finger protein family and may be involved in
	transcriptional regulation.
	Alias Symbols: -
	Protein Interaction Partner: KRTAP10-5, KRTAP10-7, CCNDBP1, RALBP1, MDFI,
	Protein Size: 371
Molecular Weight:	43 kDa
Gene ID:	286075
NCBI Accession:	NM_173831, NP_776192
UniProt:	Q96C28

### **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Host: Rabbit

Target Name: ZNF707

Sample Tissue: HT1080 Cell Lysate

Antibody Dilution: 1.0µg/ml

#### **Western Blotting**

**Image 1.** Host: Rabbit Target Name: ZNF707 Sample Type: HT1080 Whole cell lysates Antibody Dilution: 1.0ug/ml