

Datasheet for ABIN2778607  
**anti-ZNF527 antibody (C-Term)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	100 µL
Target:	ZNF527
Binding Specificity:	C-Term
Reactivity:	Human, Cow, Dog, Mouse, Rabbit, Rat, Horse, Pig, Guinea Pig, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF527 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human ZNF527
Sequence:	GKAFHQILSL RLHQRIHAGE KPYKCNECGN NFSCVSALRR HQRHNRRTL
Predicted Reactivity:	Cow: 83%, Dog: 93%, Guinea Pig: 85%, Horse: 93%, Human: 100%, Mouse: 90%, Pig: 92%, Rabbit: 90%, Rat: 91%, Zebrafish: 82%
Characteristics:	This is a rabbit polyclonal antibody against ZNF527. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Protein A purified

## Target Details

Target:	ZNF527
---------	--------

## Target Details


Alternative Name:	ZNF527 ( <a href="#">ZNF527 Products</a> )
Background:	ZNF527 contains 1KRAB domain and 12 C2H2-type zinc-fingers. It belongs to the kruppel C2H2-type zinc finger protein family and may be involved in transcriptional regulation. Protein Size: 609
Molecular Weight:	71 kDa
Gene ID:	84503
NCBI Accession:	<a href="#">XM_030378</a> , <a href="#">XP_030378</a>

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 609 AA
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

**Image 1.** WB Suggested Anti-ZNF527 Antibody Titration:  
2.5ug/ml ELISA Titer: 1:312500 Positive Control: HepG2  
cell lysate