antibodies -online.com







anti-CPNE1 antibody (Middle Region)





()	11	\sim	rv		۱ ۸
	1 \ /	⊢	I \/	╙	1/1

Overview		
Quantity:	100 μL	
Target:	CPNE1	
Binding Specificity:	Middle Region	
Reactivity:	Human, Cow, Dog, Mouse, Rat, Rabbit, Sheep, Horse, Zebrafish (Danio rerio), Guinea Pig, Pig	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CPNE1 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human CPNE1	

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human CPNE1
Sequence:	VQCSDYDSDG SHDLIGTFHT SLAQLQAVPA EFECIHPEKQ QKKKSYKNSG
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 91%, Pig: 100%, Rabbit: 100%, Rat: 100%, Sheep: 100%, Zebrafish: 93%
Characteristics:	This is a rabbit polyclonal antibody against CPNE1. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target: CPNE1


Target Details

Alternative Name:	CPNE1 (CPNE1 Products)
Background:	Calcium-dependent membrane-binding proteins may regulate molecular events at the interface
	of the cell membrane and cytoplasm. CPNE1 is a calcium-dependent protein that also contains
	two N-terminal type II C2 domains and an integrin A domain-like sequence in the C-terminus.
	However, the protein does not contain a predicted signal sequence or transmembrane
	domains. This protein has a broad tissue distribution and it may function in membrane
	trafficking. Calcium-dependent membrane-binding proteins may regulate molecular events at
	the interface of the cell membrane and cytoplasm. This gene encodes a calcium-dependent
	protein that also contains two N-terminal type II C2 domains and an integrin A domain-like
	sequence in the C-terminus. However, the encoded protein does not contain a predicted signal
	sequence or transmembrane domains. This protein has a broad tissue distribution and it may
	function in membrane trafficking. This gene and the gene for RNA binding motif protein 12
	overlap at map location 20q11.21. Sequence analysis identified multiple alternatively spliced
	variants in the 5' UTR. All variants encode the same protein.
	Alias Symbols: COPN1, CPN1, MGC1142
	Protein Interaction Partner: UBC, BAG3, BUB3, STK3, FN1, LIG4, TIMM13, TTLL12, ST13, PYGB
	ARRB2, SUMO2, UIMC1, HNRNPH1, UBE2O, WTAP, MYCBP, PITPNM2, CCDC22, BCOR, CPNE4
	CPNE1, UBE2M, PDCD6, PPP5C, SPTBN1, RDX, MAP2K1, SKIL, ACTB, Cdc42bpb, Etl4, Cenpf,
	Mycbp2, Alg2, Nono,
	Protein Size: 537
Molecular Weight:	59 kDa
Gene ID:	8904
NCBI Accession:	NM_003915, NP_003906
UniProt:	Q99829
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 537 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Handling

Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.


Images



Western Blotting

Image 1. WB Suggested Anti-CPNE1 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: 293T cell lysate





Western Blotting

Image 2. Host: Rabbit Target Name: CPNE1 Sample Type: Human Hela Antibody Dilution: 1.0ug/ml CPNE1 is supported by BioGPS gene expression data to be expressed in HeLa