
# antibodies .- online.com







## anti-ZNF341 antibody (N-Term)



Overview

Target:



- OVERVIEW	
Quantity:	100 μL
Target:	ZNF341
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Cow, Dog, Horse, Guinea Pig, Rabbit, Pig, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF341 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF341
Sequence:	EGMDNQTVLA VQSLLDGQGA VPDPTGQSVN APPAIQPLDD EDVFLCGKCK
Predicted Reactivity:	Cow: 100%, Dog: 92%, Guinea Pig: 92%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 92%, Rat: 92%
Characteristics:	This is a rabbit polyclonal antibody against ZNF341. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Protein A purified
Target Details	

**ZNF341** 

#### **Target Details**

Alternative Name:	ZNF341 (ZNF341 Products)
Background:	Zinc Finger Protein 341 is a new candidate transcription factor.  Protein Interaction Partner: CENPP, KLHL38, WDYHV1, MAGEB4, CSTF2, ARNT2, PRPF40A,  Protein Size: 847
Molecular Weight:	92 kDa
Gene ID:	84905
NCBI Accession:	NM_032819, NP_116208
UniProt:	Q9BYN7

### **Application Details**

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 847 AA
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

90 kDa\_\_\_ 60 kDa\_\_ 42 kDa\_\_ 32 kDa\_\_ 23 kDa\_\_

#### **Western Blotting**

**Image 1.** WB Suggested Anti-ZNF341 Antibody Titration: 2.0ug/ml ELISA Titer: 1:62500 Positive Control: HepG2 cell lysate