# antibodies - online.com







## anti-SNW1 antibody (N-Term)





$\sim$	
	$r_{1}/_{1}$
$\cup$ $\vee$ $\subset$	rview

Quantity:	100 μL
Target:	SNW1
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Dog, Pig, Rabbit, Cow, Horse, Guinea Pig, Saccharomyces cerevisiae
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SNW1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human SKIIP
Sequence:	RQGQSKDKVI YSKYTDLVPK EVMNADDPDL QRPDEEAIKE ITEKTRVALE
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%, Yeast: 83%
Characteristics:	This is a rabbit polyclonal antibody against SKIIP. It was validated on Western Blot and immunohistochemistry.
Purification:	Affinity Purified
Target Details	
rarget Details	


### **Target Details**

Alternative Name:	SKIIP (SNW1 Products)
Background:	SKIIP (Nuclear Protein SkiP, nuclear receptor coactivator NCoA-62, ski-interacting protein) is a
	member of the SNW gene family, encodes a coactivator that enhances transcription from some
	Pol II promoters. This coactivator can bind to the ligand-binding domain of the vitamin D
	receptor and to retinoid receptors to enhance vitamin D-, retinoic acid-, estrogen-, and
	glucocorticoid-mediated gene expression. It can also interact with poly(A)-binding protein 2 to
	directly control the expression of muscle-specific genes at the transcriptional level. Finally, the
	protein may be involved in oncogenesis since it interacts with a region of SKI oncoproteins that
	is required for transforming activity.
	Alias Symbols: Bx42, SKIP, Prp45, SKIIP, PRPF45, NCOA-62
	Protein Interaction Partner: TRAF1, GOLGA2, KRT40, LZTS2, RINT1, TEX11, CEP55, PPIL1,
	TFIP11, MTUS2, IKZF1, TP53, TUBGCP3, AURKB, UBC, SUZ12, RNF2, BMI1, HECW2, HDAC11,
	Dlg4, TTC14, ZNF830, SNIP1, CXorf56, XAB2, CTNNBL1, SART1, NHP2L1, MFAP1, EIF4A3,
	MAGOH, DHX15, DDX5, PABPC1, SKIV2
	Protein Size: 536
Molecular Weight:	61 kDa
Gene ID:	22938
NCBI Accession:	NM_012245, NP_036377
UniProt:	Q13573
Pathways:	Retinoic Acid Receptor Signaling Pathway
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 536 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %
	sucrose.

#### Handling

Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Images**



#### **Western Blotting**


**Image 1.** WB Suggested Anti-SKIIP Antibody Titration: 0.2-1 ug/ml Positive Control: Jurkat cell lysate SNW1 is strongly supported by BioGPS gene expression data to be expressed in Human Jurkat cells



Rabbit Anti-SKIIP Antibody
Catalog Number: ARP32294
Lot Number: QC1750
Paraffin Embeded Tissue: Human Intestine
Cells with Positive label: Epithelial cells of intestinal villus (Indicated with Arrows)
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X

#### **Immunohistochemistry**

Image 2. Human Intestine



#### **Immunohistochemistry**

**Image 3.** Rabbit Anti-SKIIP antibody Paraffin Embedded Tissue: Human Lung cell Cellular Data: Epithelial cells of renal tubule Antibody Concentration: 4.0-8.0 ug/ml Magnification: 400X