



[Go to Product page](#)

Datasheet for ABIN2779731

## anti-ZNF780A antibody (N-Term)

### 1 Image

#### Overview

Quantity:	100 µL
Target:	ZNF780A
Binding Specificity:	N-Term
Reactivity:	Human, Horse, Pig, Rat, Cow, Dog, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF780A antibody is un-conjugated
Application:	Western Blotting (WB)

#### Product Details

Sequence:	MLENYSHLIS LGSSISKPDV ITLLEQEKEP WMVVRKETS RYPDLELKYG
Predicted Reactivity:	Cow: 79%, Dog: 79%, Horse: 87%, Human: 100%, Mouse: 80%, Pig: 79%, Rat: 79%
Characteristics:	This is a rabbit polyclonal antibody against ZNF780A. It was validated on Western Blot.
Purification:	Affinity Purified

#### Target Details

Target:	ZNF780A
Alternative Name:	ZNF780A ( <a href="#">ZNF780A Products</a> )
Background:	ZNF780A belongs to the krueppel C2H2-type zinc-finger protein family. It contains 17 C2H2-type zinc fingers and 1 KRAB domain. ZNF780A may be involved in transcriptional regulation.

## Target Details

---

Alias Symbols: ZNF780

Protein Size: 607

Molecular Weight: 70 kDa

Gene ID: 284323

NCBI Accession: [NM\\_001010880](#), [NP\\_001010880](#)

UniProt: [O75290](#)

## Application Details

---

Application Notes: Optimal working dilutions should be determined experimentally by the investigator.

Comment: Antigen size: 607 AA

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Concentration: Lot specific

Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -20 °C

Storage Comment: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Rabbit Anti-ZNF780A Antibody  
Catalog Number: ARP32578  
Lot Number: QC3892  
Lane: HepG2 Cell Lysate

Antibody Titration: 1.0µg/ml  
Gel Concentration: 6-18%

### Western Blotting

**Image 1.** WB Suggested Anti-ZNF780A Antibody Titration:  
1.0 ug/ml Positive Control: HepG2 Whole Cell