

Datasheet for ABIN2779890

anti-RELB antibody (Middle Region)





Go to Product page

| | ve | rvi | 0 | W |
|--------|----|-------|---------------|-----|
| \cup | VC | I V I | $\overline{}$ | v v |

| o ver vievv | | |
|-----------------------|--|--|
| Quantity: | 100 μL | |
| Target: | RELB | |
| Binding Specificity: | Middle Region | |
| Reactivity: | Human, Mouse, Rat, Dog, Cow, Horse, Rabbit, Guinea Pig | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This RELB antibody is un-conjugated | |
| Application: | Western Blotting (WB) | |
| Product Details | | |
| Immunogen: | The immunogen is a synthetic peptide directed towards the middle region of mouse RELB | |
| Sequence: | FLQRLTDGVC SEPLPFTYLP RDHDSYGVDK KRKRGLPDVL GELSSSDPHG | |
| Predicted Reactivity: | Cow: 100%, Dog: 93%, Guinea Pig: 93%, Horse: 93%, Human: 93%, Mouse: 100%, Rabbit: 93%, Rat: 100% | |
| Characteristics: | This is a rabbit polyclonal antibody against RELB. It was validated on Western Blot using a cell lysate as a positive control. | |
| Purification: | Protein A purified | |
| Target Details | | |
| Target: | RELB | |
| | | |

| Target Details | | | |
|---------------------|--|--|--|
| Alternative Name: | RELB (RELB Products) | | |
| Background: | RelB is a member of the Rel/nuclear factor (NF)-kappa B family of transcription factors, defects | | |
| | in RelB affects antigen presenting cells and the formation of lymphoid organs. Targeted | | |
| | disruption of the Rel/NF-kappaB family members NF-kappaB2, encoding p100/p52, and RelB in | | |
| | mice results in anatomical defects of secondary lymphoid tissues. | | |
| | Alias Symbols: shep | | |
| | Protein Interaction Partner: Nanog, Nfkb2, Nfkb1, | | |
| | Protein Size: 558 | | |
| Molecular Weight: | 61 kDa | | |
| Gene ID: | 19698 | | |
| NCBI Accession: | NM_009046, NP_033072 | | |
| UniProt: | Q04863 | | |
| Pathways: | NF-kappaB Signaling, RTK Signaling | | |
| Application Details | | | |
| Application Notes: | Optimal working dilutions should be determined experimentally by the investigator. | | |
| Comment: | Antigen size: 558 AA | | |
| Restrictions: | For Research Use only | | |
| Handling | | | |
| Format: | Liquid | | |
| Concentration: | Lot specific | | |
| Buffer: | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % | | |

Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -20 °C Storage Comment: For short term use, store at 2-8 °C up to 1 week. For long term storage, store at -20 °C in small

should be handled by trained staff only.

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

sucrose.

Sodium azide

Preservative:

Precaution of Use:

aliquots to prevent freeze-thaw cycles.

Images



Western Blotting

Image 1. WB Suggested Anti-RELB Antibody Titration:2.5ug/ml ELISA Titer: 1:1562500 Positive Control: Human Thymus