



[Go to Product page](#)

Datasheet for ABIN2780532
anti-ZNF205 antibody (Middle Region)

1 Image

Overview

Quantity:	100 µL
Target:	ZNF205
Binding Specificity:	Middle Region
Reactivity:	Human, Cow, Mouse, Rat, Dog, Guinea Pig, Horse, Rabbit, Saccharomyces cerevisiae
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF205 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human ZNF205
Sequence:	PYACPLCGKS FSRRSNLHRH EKIHTTGPKA LAMLMLGAAA AGALATPPPA
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Yeast: 83%
Characteristics:	This is a rabbit polyclonal antibody against ZNF205. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target:	ZNF205
---------	--------

Target Details


Alternative Name:	ZNF205 (ZNF205 Products)
Background:	ZNF205 may be involved in transcriptional regulation. Alias Symbols: ZNF210, Zfp13 Protein Interaction Partner: UBQLN4, C8orf33, CDC37, HDAC6, WT1, MAPK6, MEST, ILK, CCDC85B, MDFI, CALCOCO2, TRAF2, Protein Size: 554
Molecular Weight:	60 kDa
Gene ID:	7755
NCBI Accession:	NM_003456 , NP_003447
UniProt:	O95201

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 554 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-ZNF205 Antibody Titration:
0.2-1 ug/ml ELISA Titer: 1:62500 Positive Control: SK-MEL-2 cell lysate