
antibodies .- online.com







anti-ZNF213 antibody (N-Term)



Overview

Target:



Overview	
Quantity:	100 μL
Target:	ZNF213
Binding Specificity:	N-Term
Reactivity:	Human, Horse, Cow, Guinea Pig, Mouse, Rat, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF213 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF213
Sequence:	MAAPLEAQDQ APGEGEGLLI VKVEDSSWEQ ESAQHEDGRD SEACRQRFRQ
Predicted Reactivity:	Cow: 86%, Guinea Pig: 86%, Horse: 93%, Human: 100%, Mouse: 92%, Pig: 92%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF213. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Protein A purified
Target Details	

ZNF213

Target Details

Alternative Name:	ZNF213 (ZNF213 Products)
Background:	ZNF213 contains three C2H2 zinc fingers, a Kruppel associated A box and a leucine rich motif
	(LeR domain/SCAN box), strongly suggestive of a transcription factor.C2H2 zinc finger
	proteins, such as ZNF213, have bipartite structures in which one domain binds DNA or RNA and
	the other modulates target gene expression.[supplied by OMIM].
	Alias Symbols: CR53, ZKSCAN21
	Protein Interaction Partner: UBC,
	Protein Size: 459
Molecular Weight:	51 kDa
Gene ID:	7760
NCBI Accession:	NM_004220, NP_004211
UniProt:	014771


Application Details

Application Notes:

Comment:	Antigen size: 459 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %
	sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small

Optimal working dilutions should be determined experimentally by the investigator.

aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-ZNF213 Antibody Titration:1.25ug/ml ELISA Titer: 1:312500 Positive Control: HepG2 cell lysate