

Datasheet for ABIN2780765

anti-Zinc Finger and SCAN Domain Containing 9 (ZSCAN9) (N-Term) antibody[Go to Product page](#)**1** Image

Overview

Quantity:	100 µL
Target:	Zinc Finger and SCAN Domain Containing 9 (ZSCAN9)
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF193
Sequence:	MNTNSKEVLS LGVQVPEAWE ELLTMKVEAK SHLQWQESRL KRSNPLAREI
Predicted Reactivity:	Human: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF193. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target:	Zinc Finger and SCAN Domain Containing 9 (ZSCAN9)
---------	---

Target Details


Alternative Name:	ZNF193 (ZSCAN9 Products)
Background:	<p>ZNF193 belongs to the krueppel C2H2-type zinc-finger protein family. It contains 5 C2H2-type zinc fingers and 1 SCAN box domain. ZNF193 may be involved in transcriptional regulation.</p> <p>Alias Symbols: PRD51, ZSCAN9, ZNF193</p> <p>Protein Interaction Partner: ZNF446, MAGEH1, SRPK2, PRMT6, SUV39H1, SP110,</p> <p>Protein Size: 394</p>
Molecular Weight:	46 kDa
Gene ID:	7746
NCBI Accession:	NM_006299 , NP_006290
UniProt:	O15535

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 394 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-ZNF193 Antibody Titration:
0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: HT1080
cell lysate