
antibodies - online.com







anti-ZXDA antibody (Middle Region)



Image



| () | 11 | \sim | rv | | ۱ ۸ |
|-----|-------|--------|------|---|-----|
| | 1 \ / | ┙ | I \/ | ╙ | 1/1 |
| | | | | | |

| Quantity: | 100 μL |
|----------------------|-------------------------------------|
| Target: | ZXDA |
| Binding Specificity: | Middle Region |
| Reactivity: | Human, Cow, Pig, Rabbit |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ZXDA antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| Immunogen: | The immunogen is a synthetic peptide directed towards the middle region of human ZXDA |
|-----------------------|--|
| Sequence: | PAKAEWSVHP NSDFFGQEGE TQFGFPNAAG NHGSQKERNL ITVTGSSFLV |
| Predicted Reactivity: | Cow: 91%, Human: 100%, Pig: 91%, Rabbit: 77% |
| Characteristics: | This is a rabbit polyclonal antibody against ZXDA. It was validated on Western Blot using a cell lysate as a positive control. |
| Purification: | Affinity Purified |

Target Details

| Target: | ZXDA |
|-------------------|----------------------|
| Alternative Name: | ZXDA (ZXDA Products) |

Target Details

| Background: | ZXDA contains 10 C2H2-type zinc fingers. It belongs to the ZXD family. ZXDA cooperates with | |
|-------------------|---|--|
| | CIITA to promote transcription of MHC class I and MHC class II genes. | |
| | Alias Symbols: ZNF896 | |
| | Protein Size: 799 | |
| Molecular Weight: | 85 kDa | |
| Gene ID: | 7789 | |
| NCBI Accession: | NM_007156, NP_009087 | |
| UniProt: | P98168 | |

Application Details

| Application Notes: | Optimal working dilutions should be determined experimentally by the investigator. | |
|--------------------|--|--|
| Comment: | Antigen size: 799 AA | |
| Restrictions: | For Research Use only | |

Handling

| Format: | Liquid |
|--------------------|---|
| Concentration: | Lot specific |
| Buffer: | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -20 °C |
| Storage Comment: | For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles. |



Western Blotting

Image 1. WB Suggested Anti-ZXDA Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: Human Muscle