# antibodies - online.com







## anti-ZNF777 antibody (C-Term)



Image



Publication



<i>ا</i> ۱	111	SKI	/ 1	~ 1 A
u	\ / F	٠١ '	<b>\/  </b>	-1
$\sim$	V (	~ I	VΙ	ev

Quantity:	100 μL
Target:	ZNF777
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF777 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human ZNF777
Sequence:	GGGRGPGEPF RAVNFLDNKM DETNQHGGRD LAAGHSEGRC RAHLVGDRTL
Predicted Reactivity:	Human: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF777. It was validated on Western Blot using a
	cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	ZNF777

#### **Target Details**

Alternative Name:	ZNF777 (ZNF777 Products)
Background:	The function remains unknown.  Protein Interaction Partner: UBC,  Protein Size: 524
Molecular Weight:	58 kDa
Gene ID:	27153
NCBI Accession:	NM_015694
UniProt:	Q8N2J5

### **Application Details**

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 524 AA
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Publications**

Product cited in: Ewing, Chu, Elisma, Li, Taylor, Climie, McBroom-Cerajewski, Robinson, OConnor, Li, Taylor,
Dharsee, Ho, Heilbut, Moore, Zhang, Ornatsky, Bukhman, Ethier, Sheng, Vasilescu, Abu-Farha,

Lambert, Duewel et al.: "Large-scale mapping of human protein-protein interactions by mass spectrometry. ..." in: **Molecular systems biology**, Vol. 3, pp. 89, (2007) (PubMed).

#### **Images**



#### **Western Blotting**

Image 1. WB Suggested Anti-ZNF777 Antibody Titration:0.2-1 ug/ml Positive Control: Jurkat cell lysate