
antibodies - online.com







anti-ZNF687 antibody (C-Term)



Image



Overview	

Quantity:	100 μL
Target:	ZNF687
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Cow, Rat, Horse, Dog, Rabbit, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF687 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human ZNF687
Sequence:	DSPLPASGGP LTCKVCGKSC DSPLNLKTHF RTHGMAFIRA RQGAVGDN
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF687. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	

Target Details

Alternative Name:	ZNF687 (ZNF687 Products)
Background:	ZNF687 belongs to the krueppel C2H2-type zinc-finger protein family and may be involved in transcriptional regulation. Alias Symbols: DKFZp781I1719, KIAA1441, RP11-126K1.3 Protein Interaction Partner: SUMO2, SUMO1, EED, RNF2, BMI1, SOX2, HDAC1, CSNK2A2, UNC80, WDR26, UBE2O, SRSF10, UBC, INTS5, INTS3, INTS6, INTS1, Protein Size: 1237
Molecular Weight:	129 kDa
Gene ID:	57592
NCBI Accession:	NM_020832, NP_065883
UniProt:	Q8N1G0

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 1237 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

168 kDa__ 144 kDa__ 90 kDa__ 65 kDa__ 40 kDa__

Western Blotting

Image 1. WB Suggested Anti-ZNF687 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:12500 Positive Control: 293T cell lysate