antibodies -online.com







anti-ZNF655 antibody (N-Term)



Image



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢


OVEIVIEW		
Quantity:	100 μL	
Target:	ZNF655	
Binding Specificity:	N-Term	
Reactivity:	Human, Cow, Dog, Rat, Rabbit, Guinea Pig	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ZNF655 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
lmmunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF655	
Sequence:	MEEIPAQEAA GSPRVQFQSL ETQSECLSPE PQFVQDTDME QGLTGAPPVP	
Predicted Reactivity:	Cow: 86%, Dog: 79%, Guinea Pig: 93%, Human: 100%, Rabbit: 86%, Rat: 100%	
Characteristics:	This is a rabbit polyclonal antibody against ZNF655. It was validated on Western Blot using a	
	cell lysate as a positive control.	
Purification:	Protein A purified	
Target Details		
Target:	ZNF655	

Target Details

Alternative Name:	ZNF655 (ZNF655 Products)	
Background:	ZNF655 is a zinc finger protein. The zinc finger proteins are involved in DNA binding and protein-protein interactions. This gene encodes a zinc finger protein. The zinc finger proteins are involved in DNA binding and protein-protein interactions. Multiple alternatively spliced transcrip variants encoding distinct isoforms have been found for this gene. Alias Symbols: VIK, VIK-1	
	Protein Interaction Partner: MAGEA2B, SPERT, KRT40, CARD9, RINT1, MED21, TRAF2, KIFC3,	
	BAG3, HTT, KRTAP4-12, MTUS2, ASUN, TRIM37, TRIP13, MAGEA11, VAV1, CDK4, Protein Size: 491	
Molecular Weight:	54 kDa	
Gene ID:	79027	
NCBI Accession:	NM_001009960, NP_001009960	
UniProt:	Q8N720	
Application Details		
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 491 AA	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %	
	sucrose.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-20 °C	
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small	

aliquots to prevent freeze-thaw cycles.

Images



Western Blotting

Image 1. WB Suggested Anti-ZNF655 Antibody Titration:1.25ug/ml Positive Control: HepG2 cell lysate