

Datasheet for ABIN2781222  
**anti-ZNF668 antibody (C-Term)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	100 µL
Target:	ZNF668
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Zebrafish (Danio rerio), Saccharomyces cerevisiae
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF668 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human ZNF668
Sequence:	KSFSDRAGLR KHSRTHSSVR PYTCPHCPKA FLSASDLRKH ERTHPVPMGT
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rat: 100%, Yeast: 90%, Zebrafish: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF668. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Protein A purified

## Target Details


Target:	ZNF668
Alternative Name:	ZNF668 ( <a href="#">ZNF668 Products</a> )
Background:	ZNF668 is a new candidate transcription factor. Protein Interaction Partner: UBC, ELAVL1, TP53, NPM1, MDM2, Protein Size: 619
Molecular Weight:	68 kDa
Gene ID:	79759
NCBI Accession:	<a href="#">NM_024706</a> , <a href="#">NP_078982</a>
UniProt:	<a href="#">Q96K58</a>

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 619 AA
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

**Image 1.** WB Suggested Anti-ZNF668 Antibody Titration:  
1.25ug/ml ELISA Titer: 1:62500 Positive Control: HepG2  
cell lysate