



Datasheet for ABIN2781234  
**anti-ZNF613 antibody (N-Term)**



[Go to Product page](#)

1 Image

1 Publication

### Overview

Quantity:	100 µL
Target:	ZNF613
Binding Specificity:	N-Term
Reactivity:	Human, Horse, Dog, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF613 antibody is un-conjugated
Application:	Western Blotting (WB)

### Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF613
Sequence:	DVMLENYSNL VSVG YQASKP DALFKLEQGE PWTVENEIHS QICPEIKKVN
Predicted Reactivity:	Dog: 85%, Horse: 77%, Human: 100%, Pig: 77%
Characteristics:	This is a rabbit polyclonal antibody against ZNF613. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

### Target Details

Target:	ZNF613
---------	--------

## Target Details

---

Alternative Name:	ZNF613 ( <a href="#">ZNF613 Products</a> )
Background:	The function of the Anti-ZNF613 gene has not yet been determined. Alias Symbols: FLJ13590 Protein Size: 617
Molecular Weight:	70 kDa
Gene ID:	79898
NCBI Accession:	<a href="#">NM_001031721</a> , <a href="#">NP_001026891</a>
UniProt:	<a href="#">Q6PF04</a>

## Application Details

---

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 617 AA
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

## Publications

---

Product cited in:	Chang, Chen, Wu, Wu, Yen, Ouyang: "Characterization of centrosomal proteins Cep55 and pericentrin in intercellular bridges of mouse testes." in: <b>Journal of cellular biochemistry</b> , Vol.
-------------------	---

Images

---



**Western Blotting**

**Image 1.** WB Suggested Anti-ZNF613 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:12500 Positive Control: HeLa cell lysate