antibodies - online.com







anti-SLC2A6 antibody (C-Term)

Images



\sim	
()\/\	rview
\cup	


Overview	
Quantity:	100 μL
Target:	SLC2A6
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC2A6 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human SLC2A6
Sequence:	AANLTLGLYI HFGPRPLSPN STAGLESESW GDLAQPLAAP AGYLTLVPLL
Predicted Reactivity:	Human: 100%
Characteristics:	This is a rabbit polyclonal antibody against SLC2A6. It was validated on Western Blot and immunohistochemistry.
Purification:	Protein A purified
Target Details	
Target:	SLC2A6

Target Details

Alternative Name:	SLC2A6 (SLC2A6 Products)
Background:	Hexose transport into mammalian cells is catalyzed by a family of membrane proteins,
	including SLC2A6, which contains 12 transmembrane domains and a number of critical
	conserved residues. Hexose transport into mammalian cells is catalyzed by a family of
	membrane proteins, including SLC2A6, that contain 12 transmembrane domains and a numbe
	of critical conserved residues.[supplied by OMIM].
	Alias Symbols: GLUT6, GLUT9, HSA011372
	Protein Interaction Partner: UBC,
	Protein Size: 507
Molecular Weight:	56 kDa
Gene ID:	11182
NCBI Accession:	NM_017585, NP_060055
UniProt:	Q9UGQ3
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 507 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %
	sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage.	


aliquots to prevent freeze-thaw cycles.

Images



Western Blotting

Image 1. WB Suggested Anti-SLC2A6 Antibody Titration:2.5ug/ml Positive Control: Jurkat cell lysate



Immunohistochemistry

Image 2. Human Muscle