# antibodies -online.com





Datasheet for ABIN2781842

## anti-ATP2B3 antibody (N-Term)





Go to Product page

$\sim$						
	1//	Д	r۱	/1	$\triangle$	٨


Quantity:	100 μL
Target:	ATP2B3
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Guinea Pig, Horse, Dog, Rabbit, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ATP2B3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ATP2B3
Sequence:	GDMANSSIEF HPKPQQQRDV PQAGGFGCTL AELRTLMELR GAEALQKIEE
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 79%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 93%, Rabbit: 86%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against ATP2B3. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
rarget Details	

Alternative Name:	ATP2B3 (ATP2B3 Products)
Background:	ATP2B3 gene belongs to the family of P-type primary ion transport ATPases characterized by
	the formation of an aspartyl phosphate intermediate during the reaction cycle. These enzymes
	remove bivalent calcium ions from eukaryotic cells against very large concentration gradients
	and play a critical role in intracellular calcium homeostasis. The mammalian plasma membran
	calcium ATPase isoforms are encoded by at least four separate genes and the diversity of
	these enzymes is further increased by alternative splicing of transcripts. The expression of
	different isoforms and splice variants is regulated in a developmental, tissue- and cell type-
	specific manner, suggesting that these pumps are functionally adapted to the physiological
	needs of particular cells and tissues. ATP2B3 is the plasma membrane calcium ATPase
	isoform 3.The protein encoded by this gene belongs to the family of P-type primary ion
	transport ATPases characterized by the formation of an aspartyl phosphate intermediate
	during the reaction cycle. These enzymes remove bivalent calcium ions from eukaryotic cells
	against very large concentration gradients and play a critical role in intracellular calcium
	homeostasis. The mammalian plasma membrane calcium ATPase isoforms are encoded by a
	least four separate genes and the diversity of these enzymes is further increased by alternative
	splicing of transcripts. The expression of different isoforms and splice variants is regulated in a
	developmental, tissue- and cell type-specific manner, suggesting that these pumps are
	functionally adapted to the physiological needs of particular cells and tissues. This gene
	encodes the plasma membrane calcium ATPase isoform 3. Alternatively spliced transcript
	variants encoding different isoforms have been identified.
	Alias Symbols: PMCA3, PMCA3a
	Protein Interaction Partner: LGR4, PARK2, UBC, TERF2,
	Protein Size: 1220
Molecular Weight:	134 kDa
Gene ID:	492
NCBI Accession:	NM_001001344, NP_001001344
UniProt:	Q16720
Pathways:	Ribonucleoside Biosynthetic Process
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.

### **Application Details**

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

### Images



#### **Western Blotting**

**Image 1.** WB Suggested Anti-ATP2B3 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: Human heart