
# antibodies - online.com







## anti-OR6C68 antibody (N-Term)

**Images** 



0,105	
Over	$\vee \sqcup \vee \vee$

Quantity:	100 μL
Target:	OR6C68
Binding Specificity:	N-Term
Reactivity:	Human, Horse, Mouse, Pig, Dog, Guinea Pig, Rabbit, Rat, Cow
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR6C68 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human OR6C68
Immunogen: Sequence:	
	OR6C68
Sequence:	OR6C68  MQKSVMRKHT AITTFILLGL TEDPQLQVLL FMFLFITYML SVTGKLTIIA  Cow: 92%, Dog: 93%, Guinea Pig: 86%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%,
Sequence: Predicted Reactivity:	OR6C68  MQKSVMRKHT AITTFILLGL TEDPQLQVLL FMFLFITYML SVTGKLTIIA  Cow: 92%, Dog: 93%, Guinea Pig: 86%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 93%, Rat: 93%  This is a rabbit polyclonal antibody against OR6C68. It was validated on Western Blot using a
Sequence:  Predicted Reactivity:  Characteristics:	OR6C68  MQKSVMRKHT AITTFILLGL TEDPQLQVLL FMFLFITYML SVTGKLTIIA  Cow: 92%, Dog: 93%, Guinea Pig: 86%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 93%, Rat: 93%  This is a rabbit polyclonal antibody against OR6C68. It was validated on Western Blot using a cell lysate as a positive control.


### **Target Details**

Alternative Name:	OR6C68 (OR6C68 Products)
Background:	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response
Ü	that triggers the perception of a smell. The olfactory receptor proteins are members of a large
	family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory
	receptors share a 7-transmembrane domain structure with many neurotransmitter and
	hormone receptors and are responsible for the recognition and G protein-mediated
	transduction of odorant signals. The olfactory receptor gene family is the largest in the
	genome. The nomenclature assigned to the olfactory receptor genes and proteins for this
	organism is independent of other organisms.
	Alias Symbols: -
	Protein Size: 317
Molecular Weight:	36 kDa
Gene ID:	403284
NCBI Accession:	NM_001005519, NP_001005519
UniProt:	A6NDL8
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 317 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %
	sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.

#### Handling


Storage Comment: For short term use, store at 2-8°C up to 1 week. For short term use, store at 2-8°C up to 1 week. For short term use, store at 2-8°C up to 1 week. For short term use, store at 2-8°C up to 1 week. For short term use, store at 2-8°C up to 1 week. For short term use, store at 2-8°C up to 1 week. For short term use, store at 2-8°C up to 1 week.	or long term storage, store at -20°C in small

#### **Images**



#### **Western Blotting**

Image 1. WB Suggested Anti-OR6C68 Antibody Titration:0.2-1 ug/ml Positive Control: OVCAR-3 cell lysate



Rabbit Anti-OR6C68 Antibody Catalog Number: ARP44513 Lot Number: QC15489 Lane: OVCAR-3 Cell Lysate

Antibody Titration: 1.0µg/ml Gel Concentration: 12%

#### **Western Blotting**

Image 2. WB Suggested Anti-OR6C68

Antibody Titration: 0.2-1 µg/mL

Positive Control: OVCAR-3 cell lysate