.-online.com antibodies

Datasheet for ABIN2782044 anti-DPP6 antibody (Middle Region)

2 Images



Overview

Quantity:	100 µL
Target:	DPP6
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Cow, Dog, Rabbit, Horse, Guinea Pig, Zebrafish (Danio rerio), Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DPP6 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human DPP6
Sequence:	FLIIHPTADE KIHFQHTAEL ITQLIRGKAN YSLQIYPDES HYFTSSSLKQ
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 86%
Characteristics:	This is a rabbit polyclonal antibody against DPP6. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	DPP6

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2782044 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	DPP6 (DPP6 Products)
Background:	DPP6 is a single-pass type II membrane protein that is a member of the S9B family in clan SC
	of the serine proteases. This protein has no detectable protease activity, most likely due to the
	absence of the conserved serine residue normally present in the catalytic domain of serine
	proteases. However, it does bind specific voltage-gated potassium channels and alters their
	expression and biophysical properties. This gene encodes a single-pass type II membrane
	protein that is a member of the S9B family in clan SC of the serine proteases. This protein has
	no detectable protease activity, most likely due to the absence of the conserved serine residue
	normally present in the catalytic domain of serine proteases. However, it does bind specific
	voltage-gated potassium channels and alters their expression and biophysical properties.
	Alternate transcriptional splice variants, encoding different isoforms, have been characterized.
	Alias Symbols: DPPX, MGC46605, VF2
	Protein Interaction Partner: KCND2, PRNP,
	Protein Size: 801
Molecular Weight:	91 kDa
Gene ID:	1804
NCBI Accession:	NM_001039350, NP_001034439
UniProt:	P42658
Application Details	

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 801 AA
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in $1x$ PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN2782044 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Handling

	should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images



See Immunoblot 2 Data and Customer Feedback for more Information

Western Blotting

Image 1. WB Suggested Anti-DPP6 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: Human Muscle

Western Blotting

Image 2. Lanes: Lane 1: 20ug mouse WT brain extract Lnae 2: DPP6 -/- mouse brain extract Lane 3: 20ug mouse WT brain extract 4: DPP6 -/- mouse brain extract Primary Antibody Dilution: 1:1000 Secondary Antibody: Donkey antirabbit-HRP Secondary Antibody Dilution: 1:10,000 Gene Name: DPP6 a Submitted by: Jeanne M. Nerbonne, Arvin Soepriatna, Washington University Medical School Department of Developmental Biology