antibodies - online.com







anti-KLRC3 antibody (N-Term)





\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 μL
Target:	KLRC3
Binding Specificity:	N-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KLRC3 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human KLRC3
Sequence:	MSKQRGTFSE VSLAQDPKWQ QRKPKGNKSS ISGTEQEIFQ VELNLQNASL
Predicted Reactivity:	Human: 100%, Mouse: 79%
Characteristics:	This is a rabbit polyclonal antibody against KLRC3. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target:	KLRC3
Alternative Name:	KLRC3 (KLRC3 Products)

Target Details

Storage Comment:


Storage:

-20 °C

rarget Details	
Background:	Natural killer (NK) cells are lymphocytes that can mediate lysis of certain tumor cells and virus- infected cells without previous activation. They can also regulate specific humoral and cell- mediated immunity. NK cells preferentially express several calci Alias Symbols: NKG2-E, NKG2E Protein Interaction Partner: TYROBP, KLRD1, Protein Size: 240
Molecular Weight:	27 kDa
Gene ID:	3823
NCBI Accession:	NM_002261, NP_002252
UniProt:	Q07444
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 240 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.

aliquots to prevent freeze-thaw cycles.

For short term use, store at 2-8 $^{\circ}$ C up to 1 week. For long term storage, store at -20 $^{\circ}$ C in small



Western Blotting

Image 1. WB Suggested Anti-KLRC3 Antibody Titration:0.2-1 ug/ml Positive Control: OVCAR-3 cell lysate