

Datasheet for ABIN2782204

anti-Ribophorin II antibody (Middle Region)





Overview

Quantity:	100 μL
Target:	Ribophorin II (RPN2)
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Dog, Horse, Cow, Pig, Rabbit, Zebrafish (Danio rerio), Goat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Ribophorin II antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human RPN2
Sequence:	IKFPEEEAPS TVLSQNLFTP KQEIQHLFRE PEKRPPTVVS NTFTALILSP
Predicted Reactivity:	Cow: 100%, Dog: 100%, Goat: 75%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 85%
Characteristics:	This is a rabbit polyclonal antibody against RPN2. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	Ribophorin II (RPN2)

Target Details


Alternative Name:	RPN2 (RPN2 Products)
Background:	RPN2 is a type I integral membrane protein found only in the rough endoplasmic reticulum. The protein is part of an N-oligosaccharyl transferase complex that links high mannose
	oligosaccharides to asparagine residues found in the Asn-X-Ser/Thr consensus m Alias Symbols: RIBIIR, RPN-II, RPNII, SWP1
	Protein Interaction Partner: UBC, FUS, FAF1, VAPB, EED, ADRB2, CLN3, MMS19, RCHY1, UBL4A,
	ESR1, RHOA, RPN1, ILF3, PDIA3, CANX, ATP5A1, STT3B, TM9SF2, FBXO6, CUL3, FBXO25,
	SIRT7, TCF3, AUP1, ARRB2, NDRG1, SUMO2, FBN3, RBBP4, NGFR, HDAC5, MYC, RNF185,
	H2AFX, BRE, ADRM1, EZH2, GSTK1, TM
	Protein Size: 631
Molecular Weight:	67 kDa
Gene ID:	6185
NCBI Accession:	NM_002951, NP_002942
UniProt:	P04844
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 631 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %
	sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C

Handling

Storage Comment:

For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images



Western Blotting

Image 1. WB Suggested Anti-RPN2 Antibody Titration: 0.2-1 ug/ml Positive Control: THP-1 cell lysate