antibodies .- online.com







anti-GLUD1 antibody (N-Term)

Images

Publications



Overview	,

Quantity:	100 μL
Target:	GLUD1
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Horse, Pig, Zebrafish (Danio rerio), Rabbit, Sheep, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GLUD1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human GLUD1
Sequence:	AKAGVKINPK NYTDNELEKI TRRFTMELAK KGFIGPGIDV PAPDMSTGER
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 86%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%, Sheep: 100%, Zebrafish: 86%
Characteristics:	This is a rabbit polyclonal antibody against GLUD1. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target: GLUD1


Target Details

Alternative Name:	GLUD1 (GLUD1 Products)
Background:	L-glutamate dehydrogenase (EC 1.4.1.3) has a central role in nitrogen metabolism in plants and
	animals. Glutamate dehydrogenase is found in all organisms and catalyzes the oxidative
	deamination of 1-glutamate to 2-oxoglutarate. Glutamate, the main substrate of GLUD, is
	present in brain in concentrations higher than in other organs. In nervous tissue, GLUD appears
	to function in both the synthesis and the catabolism of glutamate and perhaps in ammonia
	detoxification.L-glutamate dehydrogenase (EC 1.4.1.3) has a central role in nitrogen
	metabolism in plants and animals. Glutamate dehydrogenase is found in all organisms and
	catalyzes the oxidative deamination of 1-glutamate to 2-oxoglutarate (Smith et al., 2001
	[PubMed 11254391]). Glutamate, the main substrate of GLUD, is present in brain in
	concentrations higher than in other organs. In nervous tissue, GLUD appears to function in both
	the synthesis and the catabolism of glutamate and perhaps in ammonia detoxification
	(Mavrothalassitis et al., 1988 [PubMed 3368458]).[supplied by OMIM]. Publication Note: This
	RefSeq record includes a subset of the publications that are available for this gene. Please see
	the Entrez Gene record to access additional publications. PRIMARYREFSEQ_SPAN
	PRIMARY_IDENTIFIER PRIMARY_SPAN COMP 1-51 M20867.1 1-51 52-3120 BC112946.1 16-
	3084
	Alias Symbols: GDH, GDH1, GLUD, MGC132003
	Protein Interaction Partner: FUS, UBC, DCP2, KLHL29, SUMO1, NEDD8, LSM1, ILK, CDK5, VTN,
	SEC62, STAT5A, ORM1, HPX, NR4A1, FN1, CRP, ASGR2, CUL3, ELAVL1, EBNA-LP, HDAC5, ICT1
	GLUD1, DYNLL1, GOT2,
	Protein Size: 558
Molecular Weight:	56 kDa
Gene ID:	2746
NCBI Accession:	NM_005271, NP_005262
UniProt:	Q5TDP6
Pathways:	Positive Regulation of Peptide Hormone Secretion, Warburg Effect
Application Datails	
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
• •	Optimal working dilutions should be determined experimentally by the investigator. Antigen size: 558 AA

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 $\%$ (w/v) sodium azide and 2 $\%$ sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Publications	
Product cited in:	Spanaki, Kotzamani, Plaitakis: "Widening Spectrum of Cellular and Subcellular Expression of Human GLUD1 and GLUD2 Glutamate Dehydrogenases Suggests Novel Functions." in: Neurochemical research, Vol. 42, Issue 1, pp. 92-107, (2016) (PubMed).
	Spanaki, Kotzamani, Petraki, Drakos, Plaitakis: "Expression of human GLUD1 and GLUD2






Western Blotting

Image 1. Host: Rabbit Target Name: SERPINA3 Sample Type: Human Adult Placenta Antibody Dilution: 1.0ug/ml


GLUD1



Western Blotting

Image 2. Host: Rabbit Target Name: GNAS Sample Type: Human Fetal Heart Antibody Dilution: 1.0ug/ml

GLUD1 (45709_P050)



Lanes 5: rat kidney cortex

Lanes 6: rat kidney proximal tubules prepped from cortex Lanes 7: LLCPK1-F+ pig kidney proxi-

mal tubule tissue culture lysate GAPDH Lanes 8: rat brain supernatant

Application data in forum

Submitted by: Lynn Taylor Colorado State University

Image 3.

Please check the product details page for more images. Overall 13 images are available for ABIN2782330.