antibodies .- online.com







anti-Parvin, beta antibody (N-Term)



Image



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μL	
Target:	Parvin, beta (PARVB)	
Binding Specificity:	N-Term	
Reactivity:	Human, Mouse, Rat, Cow, Guinea Pig, Horse, Zebrafish (Danio rerio), Dog	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Parvin, beta antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human PARVE	
Sequence:	LQEEGKNAIN SPMSPALVDV HPEDTQLEEN EERTMIDPTS KEDPKFKELV	
Predicted Reactivity:	Cow: 86%, Dog: 93%, Guinea Pig: 100%, Horse: 86%, Human: 100%, Mouse: 100%, Rat: 100%, Zebrafish: 85%	
Characteristics:	This is a rabbit polyclonal antibody against PARVB. It was validated on Western Blot using a cel lysate as a positive control.	
Purification:	Affinity Purified	
Target Details		
Target:	Parvin, beta (PARVB)	

Target Details

Alternative Name:	PARVB (PARVB Products)	
Background:	Members of the parvin family, including PARVB, are actin-binding proteins associated with focal	
	contacts. Members of the parvin family, including PARVB, are actin-binding proteins associated	
	with focal contacts.[supplied by OMIM].	
	Alias Symbols: CGI-56	
	Protein Interaction Partner: ILK, PSME1, UBC, ARHGEF6,	
	Protein Size: 397	
Molecular Weight:	45 kDa	
Gene ID:	29780	
NCBI Accession:	NM_001003828, NP_001003828	
UniProt:	Q96PN1	

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 397 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-PARVB Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: Transfected 293T